Always acting for you.



The Art of Computer Technologies, Corp.

編集出力サンプル For Solaris systems


本書に掲載の製品名、会社名等は一般にそれぞれの会社の商標、または登録商標です。 また、本文ではTM、®、©の各マークは省略しています。

1. sardoディレクトリ下のファイル


1.1 baseline

```
Tera Term - 192.168.0.5 VT
       Edit Setup Control Window
                                              <u>H</u>elp
‱usr
                                68
                                           25
25
25
35
25
25
25
                                                            over
%sys
                                53
                                                            over
                                53
%wio
                                                            over
                                28
rung-sz
                                                            over
                             58681
freemem
                                                            under
                           1835874
freeswap
                                                            under
pgscan/s
                               200
                                                            over
                               406
inpackets
                                                            over
outpackets
                               694
                                                            over
"baseline" 9 lines, 551 characters
```

1.2 cpu.minmax



1.3 disk.info



1.4 disk.minmax

```
Tera Term - 192.168.0.5 VT
File Edit Setup Control Window Help
iostat_xd_ssd<u>0_%b</u>
                               iostat_xd_ssd0_%b
                                                                       2 13:54:25
                                                                                          77 13:58:55
iostat_xd_ssd0_%w
                               iostat_xd_ssd0_%w
                                                                       0 13:54:05
                                                                                           8 13:54:20
iostat_xd_ssd0_actv
                               iostat_xd_ssd0_actv
                                                                       0 13:54:25
                                                                                           7 13:54:20
iostat_xd_ssd0_kr_s
                               iostat xd ssd0 kr/s
                                                                       0 13:54:15
                                                                                        1518 13:59:05
                                                                                                                            9349
                                                                                                             153
                               iostat_xd_ssd0_kw/s
                                                                                         863 13:58:25
iostat_xd_ssd0_kw_s
                                                                      38 13:54:25
                               iostat_xd_ssd0_r/s
                                                                                         43 13:59:05
                                                                                                                             140
iostat_xd_ssd0_r_s
                                                                       0 13:54:15
                                                                                                                            1898
iostat_xd_ssd0_svc_t
                                                                                         290 13:54:20
                               iostat xd ssd0 svc t
                                                                       5 13:58:35
iostat_xd_ssd0_w_s
                                                                       3 13:57:25
                                                                                                                            1023
                               iostat_xd_ssd0_w/s
                                                                                         102 13:59:00
                                                                       0 13:54:10
                                                                                          3 13:54:20
iostat_xd_ssd0_wait
                               iostat_xd_ssd0_wait
                                                                                                                             796
                                                                                          82 13:59:01
sar_d_ssd0_%busy
                               sar_d_ssd0_%busy
                                                                       2 13:55:11
                                                                                          10 13:54:31
sar_d_ssd0_avque
                               sar_d_ssd0_avque
                                                                       0 13:54:26
                                                                                                                            1751
                                                                                         192 13:54:31
sar_d_ssd0_avserv
                               sar_d_ssd0_avserv
                                                                       5 13:58:46
                                                                       0 13:54:21
                                                                                         96 13:54:31
                                                                                                                             154
sar_d_ssd0_avwait
                               sar_d_ssd0_avwait
                               sar_d_ssd0_blks/s
                                                                      62 13:56:56
                                                                                        4372 13:59:11
                                                                                                                           28390
sar_d_ssd0_blks_s
sar_d_ssd0_r+w_s
                               sar d ssd0 r+w/s
                                                                      3 13:55:11
                                                                                         109 13:59:16
                                                                                                                            1226
"disk.minmax" 15 lines, 1935 characters
```


1.5 memory.info

```
Tera Term - 192.168.0.5 VT
 File
       Edit
           Setup Control
                                Window
                                           Help
PhysInstalled
                                              1073741824
                                  131072
                                  126667
                                             1037656064
Physmem
UnixSize
                                   4405
                                               36085760
KernelMemory(avg)
                                  11426
                                               93601792
PageTableArraySize
                                   1024
                                                8388608
FreeMemory(avg)
                                  66063
                                              541188096
UserMemory(end)
                                  71111
                                              582541312
FreeSwap(avg)
                                  126842
                                             1039089664
DiskBufferCache(end)1/100
                                  16579
                                              135816970
DiskBufferCache(end)2/100
                                  33158
                                              271633940
 'memory.info" 10 lines, 570 characters
```

1.6 network.info

```
Tera Term - 192.168.0.5 VT
 File
       <u>E</u>dit <u>S</u>etup C<u>o</u>ntrol <u>W</u>indow
                                             Help
InPackets
                                12667
InPacketPerSec
                                   42
OutPackets
                                22383
OutPacketsPerSec
tcpInInorderBytesBegin
                                 2107
tcpInInorderBytesEnd
                                 2446
tcpInInorderBytes
                                  339
tcpOutDataBytesBegin
                                10817
tcpOutDataBytesEnd
                             33189740
tcpOutDataBytes
                             33178923
TCPaverageInPacketSize
TCPaverageOutPacketSize
                                 1475
AverageInBps
                                20272
AverageOutBps
                               860991
AverageTotalThroughPut
                               881263
MaximumInputBps
                                38125
MaximumOutputBps
                              1535219
MaximumTotalThroughPut
                              1573344
"network.info" 18 lines, 666 characters
```

1.7 network.minmax



1.8 os.info

```
💹 Tera Term - 192.168.0.5 VT
 File
       Edit Setup Control Window
                                          Help
SystemCallPerSec
                             5312
ReadSystemCallPerSec
                              314
WriteSystemCallPerSec
                              162
ReadCharacterPerSec
                           247492
WriteCharacterPerSec
                           148378
ppgins(bytes)
                            32768
ppgouts(bytes)
                            57344
ReadBytePerCall
                              788
WriteBytePerCall
                              916
ForkCountPerSec
                               20
                               21
ExecCountPerSec
PagingRateInReadWrite
                            18.54
SemaphoreCountPerSec
ReadWriteCallRatio
                             8.96
ForkExecRatio
                             0.38
IPCScallRatio
                             0.04
"os.info" 16 lines, 560 characters
```


1.9 pacct.info

	erm - 192.168								
<u>File</u> <u>E</u> dit	Setup Control	<u>W</u> indow <u>H</u> elp							
command	userid	elaps	callcount	totalcpu	rateX	syscpu	sysmsec	usercpu	usermsec 🔥
oracle	oracle	26.22	14	4.31	1.44	0.87	62.1429	3.44	245.7143
ps	root	2.25	90	1.71	0.57	1.01	11.2222	0.70	7.7778
pmap	root	2.29	133	2.02	0.67	1.44	10.8271	0.58	4.3609
netstat	root	606.74	127	0.99	0.33	0.49	3.8583	0.50	3.9370
vmstat	root	601.90	62	0.57	0.19	0.15	2.4194	0.42	6.7742
echo	root	4.47	444	1.02	0.34	0.61	1.3739	0.41	0.9234
#crash	root	0.69	2	0.61	0.20	0.23	115.0000	0.38	190.0000
sardo.sh	root	1530.48	9	0.74	0.25	0.42	46.6667	0.32	35.5556
awk	root	4.90	173	0.81	0.27	0.54	3.1214	0.27	1.5607
sleep	root	1802.16	306	0.78	0.26	0.56	1.8301	0.22	0.7190
expr	root	0.83	83	0.37	0.12	0.22	2.6506	0.15	1.8072
date	root	3.51	349	0.69	0.23	0.54	1.5473	0.15	0.4298
uptime	root	0.68	60	0.27	0.09	0.17	2.8333	0.10	1.6667
sqlplus	oracle	25.69	1	0.06	0.02	0.01	10.0000	0.05	50.0000
sed	root	0.91	84	0.15	0.05	0.10	1.1905	0.05	0.5952
eventche	root	4.27	60	0.12	0.04	0.08	1.3333	0.04	0.6667
nawk	root	0.33	29	0.09	0.03	0.06	2.0690	0.03	1.0345
cat	root	0.34	31	0.12	0.04	0.09	2.9032	0.03	0.9677
mkdir	root	0.07	4	0.02	0.01	0.00	0.0000	0.02	5.0000
kill	root	0.11	6	0.04	0.01	0.02	3.3333	0.02	3.3333
uname	root	0.03	3	0.01	0.00	0.00	0.0000	0.01	3.3333
sort	root	0.08	1	0.01	0.00	0.00	0.0000	0.01	10.0000

1.10 os.minmax

💹 Tera Term -	192.168.0.5 VT					
<u>F</u> ile <u>E</u> dit <u>S</u> etup	C <u>o</u> ntrol <u>W</u> indow <u>H</u> elp					
sar_a_dirbk_s	dirbk/s	0	13:54:26	29 13:58:46	2	138
sar_a_iget_s	iget/s	0	13:54:26	17 13:58:36	1	63
sar_a_namei_s	namei/s	141	13:56:56	1937 13:58:46	496	27793
sar_b_%rcache	%rcache	100	13:54:21	100 13:54:21	100	5600
sar_b_%wcache	%wcache	65	13:57:31	100 13:54:26	92	5180
sar_b_bread_s	bread/s	0	13:54:21	1 13:58:51	0	1
sar_b_bwrit_s	bwrit/s	0	13:54:26	34 13:58:36	4	246
sar_b_Iread_s	lread/s	41	13:55:21	1510 13:58:36	176	9872
sar_b_lwrit_s	lwrit/s	4	13:56:56	922 13:58:36	39	2180
sar_c_exec_s	exec/s	8	13:55:21	175 13:58:46	21	1170
sar_c_fork_s	fork/s	6	13:55:21	175 13:58:46	20	1121
sar_c_rchar_s	rchar/s	19157	13:56:56	1897255 13:58:31	247492	13859575
sar_c_scall_s	scall/s	1626	13:56:56	22846 13:54:31	5312	297490
sar_c_sread_s	sread/s	44	13:56:56	2638 13:58:56	314	17563
sar_c_swrit_s	swrit/s	28	13:55:21	2250 13:58:56	162	9094
sar_c_wchar_s	wchar/s	23092	13:55:16	1037190 13:58:36	148378	8309162
sar_g_pgfree_s	pgf ree/s	2	13:56:56	86 13:58:36	6	359
sar_g_pgout_s	pgout/s	1	13:56:56	29 13:58:36	3	179
sar_g_ppgout_s	ppgout/s	2	13:56:56	101 13:58:36	7	387
sar_k_lg_alloc	lg_alloc	60678520	13:54:21	63057288 13:58:56	61669749	3453505928
sar_k_lg_mem	lg_mem	64462848	13:54:21	66977792 13:58:56	65608558	3674079232
sar_k_ovsz_alloc	ovsz_alloc	21676032	13:54:21	22110208 13:58:51	21879077	1225228288 🔳
sar_k_sml_alloc	sml_alloc	5060603	13:54:21	6087035 13:58:56	5635961	315613824
"os.minmax" line 1 of						~

1.11 pmap.info




1.12 process.minmax

```
Tera Term - 192,168,0.5 VT
 File Edit Setup Control Window Help
ExecutedProcess
                              ExecutedProcess
                                                                    53 13:59:03
                                                                                      1454 13:54:00
                                                                                                           131
exp_8735_8692_1
                              ехр_8735_8692_1_срц
                                                                     0 13:54:00
                                                                                         1 13:58:52
                                                                                         1 13:54:29
fsflush_3_0_1
                              fsflush_3_0_1_cpu
                                                                     0 13:54:00
                              nscd_247_1_1_cpu
                                                                                         1 13:57:26
nscd_247_1_1
                                                                     0 13:54:00
ora_451_1_4
                              ora_451_1_4_cpu
                                                                     0 13:54:00
                                                                                         4 13:58:57
ora_453_1_1
                              ora_453_1_1_cpu
                                                                                         1 13:54:14
                                                                     0 13:54:00
                              ora 4797 1 1 cpu
                                                                                         1 13:57:06
ora 4797 1 1
                                                                     0 13:54:00
oracleora900_8737_8735_3
                              oracleora900_8737_8735_3_cpu
                                                                     0 13:54:00
                                                                                         3 13:58:52
oracleora900_8857_8855_2
                              oracleora900_8857_8855_2_cpu
                                                                     0 13:54:00
                                                                                        2 13:59:03
                                                                                        2 13:54:14
powerd 266 1 2
                              powerd_266_1_2_cpu
                                                                     0 13:54:00
                              sched_0_0_1_cpu
sched_0_0_1
                                                                     0 13:54:00
                                                                                         1 13:54:14
"process.minmax" 11 lines, 1419 characters
```

1.13 segment.info

```
Tera Term - 192.168.0.5 VT
                                Window
                                          Help
File
       Edit Setup
                     Control
DataSize
                                   50248
                         77856
                                            65
StackSize
                          1600
                                     1600
                                           100
ISMsharedMemSize
                        246296
                                   246296
                                           100
PrivateSharedMemSize
                                           100
SharedLibrarySize
                        24104
                                  14456
                                            60
TextSize
                        416384
                                   204704
                                            49
Total
                        766248
                                   517312
                                            68
"segment.info" line 7 of 7 --100%--
```

2. networkトレンドファイル 2.1 netstat_total_info_inpackets



2.2 netstat_total_info_outpackets

```
Tera Term - 192.168.0.5 VT
File
      Edit
            Setup
                     Control
                               Window
                                         Help
         value
                          occurrence
                      11 18.33
                         1.67
                         1.67
                        3.33
           592
                         1.67
           594
                       8 13.33
           595
           597
           608
                         3.33
           628
                         1.67
                         1.67
netstat_total_info_outpackets"[Modified] line 23 of 23 --100%--
```

3. OSトレンドファイル

3.1 sar_u_%usr

```
Tera Term - 192.168.0.5 VT
File
     Edit Setup Control Window
                                     Help
        value
                 count occurrence
                      1.79
                    4 7.14
                    15 26.79
                    1 1.79
           52
                    1 1.79
"sar_u_%usr" 16 lines, 518 characters
```

3.2 sar_u_%sys

```
Tera Term - 192.168.0.5 VT
File
      Edit Setup Control
                              <u>W</u>indow
                                         Help
         value
                   count
                         occurrence
                         3.57
                      1 1.79
                      3 5.36
                     13 23.21
                     11 19.64
                     15 26.79
            10
                         1.79
                        1.79
                        1.79
                        1.79
            35
                        1.79
                      1 1.79
 'sar_u_%sys" 18 lines, 582 characters
```

3.3 sar_u_%wio

```
Tera Term - 192.168.0.5 VT
File
      Edit Setup Control Window
                                         <u>H</u>elp
         value
                   count occurrence
                      33 58.93
                       8 14.29
                       2 3.57
                         1.79
                         1.79
                         1.79
            13
15
20
                       3 5.36
                       1 1.79
                       1 1.79
            24
27
49
                       1 1.79
                       1 1.79
"sar_u_%wio" 15 lines, 486 characters
```


3.4 sar_q_runq-sz

```
💹 Tera Term - 192.168.0.5 VT
      Edit Setup Control Window
                                       <u>H</u>elp
         value
                  count occurrence
                    29 51.79
                     8 14.29
                     1 1.79
                     1 1.79
"sar_q_runq-sz" 14 lines, 454 characters
```

3.5 sar_r_freemem


```
Tera Term - 192.168.0.5 VT
      Edit Setup Control Window
File
                                         <u>H</u>elp
          value
                   count occurrence
         64449
                          1.79
         64933
                          1.79
         65290
         65296
         65382
         65546
         65693
                          1.79
         65696
         65702
         65711
                          1.79
         65737
         65776
         65779
         65781
         65783
                          1.79
         65787
         65788
         65789
         65793
         65794
                         1.79
          65801
                         1.79
         65802
 <u>sar_r_free</u>mem"51 lines, 1638 characters
```

3.6 sar_r_freeswap




4. OSグラフサンプル

4.1 grapher3.xls(Microsoft Office 2000, XP, 2003)




4.2 grapher7.xls(Microsoft Office 2007, 2010)



5. oradoディレクトリ下のファイル

5.1 ora.minmax



5.2 oracleグラフサンプル(grapher3.xls)

